

iDRY

The **iDRY** is your solution for removing excessive water with outstanding results every time.



Are you tired of excessive compressed air use with mediocre results when you are attempting to dry your products after using your current shrink tunnel?

Using an 11kw side channel blower as the main energy source for the three air knives inside the iDry, your product stands a far better chance of coming out dry. The twin top air knives are infinitely height adjustable from 50mm to 200mm ensuring setting up and optimum tuning is easy.

Compared to compressed air, these blowers use approximately 25-33% of the energy, and will deliver far superior results.

Designed along the same lines as the iShrink, the iDry incorporates key features that previously were deemed too difficult.

It is the perfect accompaniment to your new iShrink machine.



FEATURES

Energy efficient (complete machine can run off a 32 amp 4 pin plug)

Minimal footprint 1,000mm x 900mm

Sanitary and easy to clean

T304 stainless steel construction

Multi purpose

Castor suitable

Easy access for routine maintenance

Our machine is fully integrated, and as with the rest of our range, is a simple plug and play operation.



McLaren Stainless
INNOVATIVE | SUPERIOR | COMMITMENT

The **iDRY** is your solution for removing excessive water with outstanding results every time.



TECHNICAL SPECIFICATION

Machine dimensions - 1000mm(l) x 900mm(w) x 1545mm(h)

Infeed height - 845mm -0/+100

Exit height - 845mm -0/+100


Conveyor width - 560mm

Electrical - 400v / 50hz / 3 phase / 32 amp (maximum load 12kw)

Weight - 425kg (approx)

Water supply - Not required

1.5" Drain



All critical parts are treated against the corrosive environment often found in food production and packaging rooms. Designed with ergonomics, safety and hygiene in mind, they are easy to use, clean and simple to maintain.



Scan me to visit the website



McLaren Stainless
INNOVATIVE | SUPERIOR | COMMITMENT

iDRY

The **iDRY** is your solution for removing excessive water with outstanding results every time.



Are you tired of excessive compressed air use with mediocre results when you are attempting to dry your products after using your current shrink tunnel?

Using an 11kw side channel blower as the main energy source for the three air knives inside the iDry, your product stands a far better chance of coming out dry. The twin top air knives are infinitely height adjustable from 50mm to 200mm ensuring setting up and optimum tuning is easy.

Compared to compressed air, these blowers use approximately 25-33% of the energy, and will deliver far superior results.

Designed along the same lines as the iShrink, the iDry incorporates key features that previously were deemed too difficult.

It is the perfect accompaniment to your new iShrink machine.



FEATURES

Energy efficient (complete machine can run off a 32 amp 4 pin plug)

Minimal footprint 1,000mm x 900mm

Sanitary and easy to clean

T304 stainless steel construction

Multi purpose

Castor suitable

Easy access for routine maintenance

Our machine is fully integrated, and as with the rest of our range, is a simple plug and play operation.



McLaren Stainless
INNOVATIVE | SUPERIOR | COMMITMENT

iDRY

The **iDRY** is your solution for removing excessive water with outstanding results every time.



TECHNICAL SPECIFICATION

Machine dimensions - 1000mm(l) x 900mm(w) x 1545mm(h)

Infeed height - 845mm -0/+100

Exit height - 845mm -0/+100


Conveyor width - 560mm

Electrical - 400v / 50hz / 3 phase / 32 amp (maximum load 12kw)

Weight - 425kg (approx)

Water supply - Not required

1.5" Drain



All critical parts are treated against the corrosive environment often found in food production and packaging rooms. Designed with ergonomics, safety and hygiene in mind, they are easy to use, clean and simple to maintain.



Scan me to visit the website



McLaren Stainless
INNOVATIVE | SUPERIOR | COMMITMENT

iDRY

The **iDRY** is your solution for removing excessive water with outstanding results every time.



Are you tired of excessive compressed air use with mediocre results when you are attempting to dry your products after using your current shrink tunnel?

Using an 11kw side channel blower as the main energy source for the three air knives inside the iDry, your product stands a far better chance of coming out dry. The twin top air knives are infinitely height adjustable from 50mm to 200mm ensuring setting up and optimum tuning is easy.

Compared to compressed air, these blowers use approximately 25-33% of the energy, and will deliver far superior results.

Designed along the same lines as the iShrink, the iDry incorporates key features that previously were deemed too difficult.

It is the perfect accompaniment to your new iShrink machine.



FEATURES

Energy efficient (complete machine can run off a 32 amp 4 pin plug)

Minimal footprint 1,000mm x 900mm

Sanitary and easy to clean

T304 stainless steel construction

Multi purpose

Castor suitable

Easy access for routine maintenance

Our machine is fully integrated, and as with the rest of our range, is a simple plug and play operation.



McLaren Stainless
INNOVATIVE | SUPERIOR | COMMITMENT

iDRY

The **iDRY** is your solution for removing excessive water with outstanding results every time.



TECHNICAL SPECIFICATION

Machine dimensions - 1000mm(l) x 900mm(w) x 1545mm(h)

Infeed height - 845mm -0/+100

Exit height - 845mm -0/+100


Conveyor width - 560mm

Electrical - 400v / 50hz / 3 phase / 32 amp (maximum load 12kw)

Weight - 425kg (approx)

Water supply - Not required

1.5" Drain



All critical parts are treated against the corrosive environment often found in food production and packaging rooms. Designed with ergonomics, safety and hygiene in mind, they are easy to use, clean and simple to maintain.



Scan me to visit the website



McLaren Stainless
INNOVATIVE | SUPERIOR | COMMITMENT